CHAPTER 5

LESSON OUTLINE FOR THE 50,000-POUND ROUGH-TERRAIN CONTAINER HANDLER (WITH TOPHANDLER)

LESSON TITLE: ATTACHING/DISCONNECTING TOPHANDLER

TASK NUMBER: 551-726-1509 (Attach Container Tophandler to Rough-Terrain

Container Handler)

551-726-1513 (Disconnect Container Tophandler from Rough-

Terrain Container Handler)

A. TRAINING OBJECTIVE.

TASK: Correctly attach and disconnect the tophandler to the 50,000-pound

RTCH.

NOTE: Show Transparency 5-1 (Objective).

CONDITION: Given demonstration with class notes.

STANDARD: To receive a "GO" for this lesson unit, the student will correctly

attach and disconnect the tophandler.

B. INTERMEDIATE TRAINING.

Intermediate Training Objective 1

TASK: After this lesson unit, the student will be able to attach and

disconnect the tophandler to the 50,000-pound RTCH.

CONDITION: Given demonstration and class notes.

STANDARD: To receive a "GO" for this lesson unit, the student will correctly

attach and disconnect the tophandler.

C. ADMINISTRATIVE INSTRUCTIONS.

1. Training time: As scheduled.

2. Training location: Scheduled classroom with chairs and a power source.

3. Training type: Demonstration and practical exercise.

4. Students: Scheduled personnel.

- 5. Principal and assistant instructors required: One primary instructor for the class.
- 6. Training aids and equipment: Overhead projector; TM 10-3930-641-10, Instructor's Guide, Lesson Plan (TSP) and transparencies (for the instructor) and STP 55-88H1-SM, paper, and pen/pencil (for the student).
- 7. References: STP 55-88H1-SM and TM 10-3930-641-10.

NOTE: Before class arrival, ensure that each student desk or table has a TM 10-3930-641-10 and STP 55-88H1-SM.

D. SEQUENCE OF ACTIVITY.

1. INTRODUCTION.

- a. Interest device.
- b. Tie-in.
- c. Lesson Objective (paragraph A).
- d. Procedures.
 - (1) Explanation.
 - (2) Practical exercise.
 - (3) Summary.
- 2. **EXPLANATION AND DEMONSTRATION.** Demonstrate the correct way to attach and disconnect the tophandler.

Transparency 5-2

a. Attaching Tophandler.

- Approach tophandler slowly, approach must be direct and straight.
- Insert forks into opening of tophandler.
- Inch forward until forks are fully inserted into tophandler.
- Shut down engine.
- Install and secure both safety chains.
- Hook up electrical connector.
- Connect both hydraulic connectors.

Transparency 5-3

- b. Disconnecting Tophandler.
 - Shut down engine.
 - Disconnect both hydraulic connectors.
 - Disconnect electrical connector.
 - Remove both safety chains.
 - Start engine.
 - Back slowly and directly away from tophandler until forks are cleared.
- 3. **PRACTICAL EXERCISE.** This task shows 10.5 hours for practical exercise.
- 4. **EVALUATE.** Students are evaluated by exam 9G5-301-08.
- 5. **SUMMARY.** Show Transparency 5-4.
 - a. Recap main points.
 - b. Allow for questions.
 - c. Clarify questions.
 - d. Give closing statement.
- 6. **RETRAINING.** Retrain and retest NO-GOs after normal duty hours.
- E. SAFETY RESTRICTIONS. None.
- F. ENVIRONMENTAL CONSIDERATIONS. None.
- **G. ADDITIONAL COMMENTS AND INFORMATION.** Recommended instructional time is 11.0 hours (0.5 hours for demonstration and 10.5 hours for practical exercise).